

Sachets (WSP)

Sumilarv[®] WSP is an easy to apply sachet containing the powerful new granule formulation larvicide for achieving longer-lasting vector control. Delivering proven efficacy and control when properly dosed. Sumilarv 0.5G delivers high mosquito toxicity at low dose rates. The easy-to-apply WSP sachet quickly dissolves, leaving the non-flushing granule formulation at the application site — stays put — and remains highly effective regardless of organic content and UV radiation. Sumilarv WSP is ideal for Catch Basin applications or other types of uses like; storm water retention ponds, live stock lagoons or abandoned swimming pools that produce high volumes of mosquitoes. Sumilarv WSP can dramatically reduce re-application costs because of its unique formulation and non-flushing properties.

- Distinct Mode Of Action (MOA)
- Contains Pyriproxyfen IGR
- Used outdoors and applied directly to areas where mosquitoes breed, such as; Catch Basins and water retention ponds
- Stays put (non-flushing)

Product Specifications

Signal Word	Caution		
Packaging	25 gram WSP (sachet) 40 WSP per bag (1 kg) 10 bags per case (10 kg)		
EPA Registration Number	1021-2818		
Product Handling	For use in outdoor mosquito breeding sites		
Stability of Undiluted Product	Not applicable – sand granule		
Stability of Diluted Product	Not applicable – sand granule		
Appearance	Fine sand granule		
Odor	No odor		
Active Ingredients	Pyriproxyfen 0.5%		
Flammability	Not applicable		
Mode of Action	Insect growth regulator		
Class of Chemistry	IGR		
Respirator Required	Not required		
Mix or Dilute in	Not applicable – ready-to-use		
Activity	IGR and residual activity		
Shelf Life	3 years or more if stored at room temperature		



Use Areas

Outdoor Mosquito Breeding Areas, such as:

- Manmade temporary or permanent water holding sites, including
 - o Water retention or detention ponds, Ornamental ponds, fountains, gutters, sewers, waste water impoundments, waste settling ponds, livestock ponds, animal waste lagoons, abandoned swimming pools
- Natural & Artificial Water Holding Containers:
 - o Tire piles, hollow trees & tree holes, potted plants, bird baths, rain barrels, flooded roof tops, flower pots, buckets, abandoned vehicles and salvage yards

Method of Application

Outdoor:

- Simply toss WSP sachet
- Hand applied for cryptic or frequently treated breeding sites



Best Practices When Using Sumilarv WSP

Identify area as a breeding site for mosquitoes and verify larval activity.

Application Tips

Estimate the volume of water for the treatment site, prior to application using the following calculation method: Total cu. Ft. of target treatment site (ft.³) = surface area (ft.²) x average depth (ft.) **Note:** 7.5 gallons per cu. ft. Total water volume = Total cu. ft. of treatment site x 7.5 gallons

Application Rates to Use for the Control of Mosquito Larvae

Treatment site (Volume of Water in Gallons)	Water Depth Less than or Equal to (ft.)	Amount of Sumilarv 0.5G Sachets (WSP)	lb. Al Sumilarv
0 – 500	1	1	0.00028
500 – 1500	2	2	0.00055
1500 – 3000	4	3	0.00083
3000 – 4500	6	4	0.0011
4500 - 6000	8	5	0.00138

Apply at the rate specified in the application rate table above:

Use Sumilarv WSP as part of an IPM program


For best results, use Sumilarv WSP as part of an integrated pest management program to control the targeted pest and the diseases they vector.

Effective Mosquito Application

- Identify mosquito breeding site.
- Calculate the size & water volume of treatment area.
- Simply toss the ready-to-use WSP sachet into the treatment site.
- Continue to monitor or surveil treatment areas to verify adult emergence inhibition has ceased.
- Please note: Sumilarv WSP will not affect mosquito breeding activities, mosquito larval development, but will prevent adult mosquitoes from emerging from the pupae stage.

Key Insects Controlled

Mosquitoes



Always read and follow label and SDS directions. To learn more, visit www.mgk.com, call 1-800-645-6466 or send an e-mail to brands@mgk.com.



